


**AMENDMENTS TO THE CLAIMS:**

Please amend claims 1, 16, 17, 27, and 28 as indicated below. Please cancel claim 26 without prejudice or disclaimer. New claim 30 has been added. This listing of claims will replace all prior versions and listings of claims in the application. Deletions appear in ~~striketrough font~~ or [[inside double brackets]], and additions are underlined.

**Complete listing of claims**

1. (Currently Amended) A pyridazin-3(2H)-one derivative compound of formula (I):




wherein

R<sup>1</sup> and R<sup>2</sup> represent independently from each other:

- a hydrogen atom;
- a group chosen from acyl, hydroxycarbonyl, alkoxycarbonyl, carbamoyl, monoalkylcarbamoyl and dialkylcarbamoyl;
- an alkyl, alkenyl or alkynyl group, wherein said alkyl, alkenyl or alkynyl group is optionally substituted by one or more substituents chosen from halogen atoms, hydroxy, alkoxy, aryloxy, alkylthio, oxo, amino, mono- and di-alkylamino, acylamino, carbamoyl and mono- and di-alkylcarbamoyl groups;
- an aryl or heteroaryl group, wherein said aryl or heteroaryl group is optionally substituted by one or more substituents chosen from halogen atoms, hydroxy, hydroxyalkyl, hydroxycarbonyl, alkoxy, alkylenedioxy, alkoxyacyl, aryloxy, acyl,

acyloxy, alkylthio, amino, nitro, cyano, mono- and di-alkylamino, acylamino, carbamoyl, mono- and di-alkylcarbamoyl, difluoromethyl, trifluoromethyl, difluoromethoxy and trifluoromethoxy groups;

- a saturated or unsaturated heterocyclic group, which is optionally substituted by one or more substituents chosen from halogen atoms, hydroxy, hydroxyalkyl, hydroxycarbonyl, alkoxy, alkylenedioxy, alkoxyacyl, aryloxy, acyl, acyloxy, alkylthio, oxo, amino, nitro, cyano, mono- and di-alkylamino, acylamino, carbamoyl, mono- and di-alkylcarbamoyl, difluoromethyl, trifluoromethyl, difluoromethoxy and trifluoromethoxy groups;
- a group of formula



wherein n is an integer from 0 to 4 and R<sup>6</sup> represents:

- a cycloalkyl or cycloalkenyl group;
- an aryl group, which is optionally substituted by one or more substituents chosen from halogen atoms, alkyl, hydroxy, alkoxy, alkylenedioxy, alkylthio, amino, mono- and di-alkylamino, nitro, acyl, hydroxycarbonyl, alkoxy carbonyl, carbamoyl, mono- and di-alkylcarbamoyl, cyano, trifluoromethyl, difluoromethoxy and trifluoromethoxy groups;
- or a 3- to 7-membered ring having from 1 to 4 heteroatoms chosen from nitrogen, oxygen and sulphur, which ring is optionally substituted by one or more substituents chosen from halogen atoms, alkyl, hydroxy, alkoxy, alkylenedioxy, amino, mono- and di-alkylamino, nitro, cyano and trifluoromethyl groups;

R<sup>3</sup> represents a monocyclic or polycyclic aryl or heteroaryl group, which is optionally substituted by one or more substituents chosen from:

- halogen atoms;
- alkyl and alkylene groups, which are optionally substituted by one or more substituents chosen from halogen atoms; phenyl, hydroxy, hydroxyalkyl, alkoxy, aryloxy, alkylthio, oxo, amino, mono- and di-alkylamino, acylamino, hydroxycarbonyl, alkoxycarbonyl, carbamoyl, and mono- and di-alkylcarbamoyl groups;
- phenyl, hydroxy, hydroxyalkyl, alkoxy, cycloalkoxy, nitro, aryloxy, alkylthio, alkylsulphinyl, alkylsulphonyl, alkylsulfamoyl, acyl, amino, mono- and di-alkylamino, acylamino, hydroxycarbonyl, alkoxycarbonyl, carbamoyl, mono- and di-alkylcarbamoyl, ureido, N'-alkylureido, N',N'-dialkylureido, alkylsulphamido, aminosulphonyl, mono- and di-alkylaminosulphonyl, cyano, difluoromethoxy and trifluoromethoxy groups;


R<sup>5</sup> represents a group -COOR<sup>7</sup> or a monocyclic or polycyclic aryl or heteroaryl group, wherein said -COOR<sup>7</sup> or monocyclic or polycyclic aryl or heteroaryl group is optionally substituted by one or more substituents chosen from:

- halogen atoms;
- alkyl and alkenyl groups, which are optionally substituted by one or more substituents chosen from halogen atoms, phenyl, hydroxy, hydroxyalkyl, alkoxy, aryloxy, alkylthio, oxo, amino, mono- and di-alkylamino, acylamino,

hydroxycarbonyl, alkoxycarbonyl, carbamoyl, and mono- and di-alkylcarbamoyl groups; and

- phenyl, hydroxy, alkylenedioxy, alkoxy, cycloalkyloxy, alkylthio, alkylsulphinyl, alkylsulphonyl, alkylsulfamoyl, amino, mono- and di-alkylamino, acylamino, nitro, acyl, hydroxycarbonyl, alkoxycarbonyl, carbamoyl, mono- and di-alkylcarbamoyl, ureido, N'-alkylureido, N',N'-dialkylureido, alkylsulphamido, aminosulphonyl, mono- and di-alkylaminosulphonyl, cyano, difluoromethoxy and trifluoromethoxy groups;

wherein R<sup>7</sup> represents an alkyl, which is optionally substituted by one or more substituents chosen from halogen atoms, hydroxy, alkoxy, aryloxy, alkylthio, oxo, amino, mono- and di-alkylamino, acylamino, hydroxycarbonyl, alkoxycarbonyl, carbamoyl, mono- and di-alkylcarbamoyl groups, and a group of formula




wherein n and R<sup>6</sup> are as defined above; and

R<sup>4</sup> represents:

- a hydrogen atom;
- a hydroxy, alkoxy, amino, mono- or di-alkylamino group;
- an alkyl, alkenyl or alkynyl group, wherein said alkyl, alkenyl or alkynyl group is optionally substituted by one or more substituents chosen from halogen atoms, hydroxy, alkoxy, aryloxy, alkylthio, oxo, amino, mono- and di-alkylamino,

acylamino, hydroxycarbonyl, alkoxycarbonyl, carbamoyl and mono- and di-alkylcarbamoyl groups;

- or a group of formula



wherein n and R<sup>6</sup> are as defined above

or a N-oxide obtainable from heteroaryl radicals present in the structure when said heteroradical comprise at least one N atom or a pharmaceutically acceptable salt thereof;[[.]]

with the proviso that when R<sup>5</sup> is neither an optionally substituted heteroaryl group nor a group COOR<sup>7</sup>, R<sup>3</sup> is an optionally substituted heteroaryl group.


2. (Previously Presented) A compound according to claim 1 wherein R<sup>2</sup> represents a hydrogen atom or an aryl group, which is optionally substituted by one or more substituents chosen from halogen atoms, nitro, C<sub>1</sub>-C<sub>4</sub> alkoxy, C<sub>1</sub>-C<sub>4</sub> hydroxyalkyl and –CO<sub>2</sub>-(C<sub>1</sub>-C<sub>4</sub> alkyl) groups.

3. (Previously Presented) A compound according to claim 2, wherein R<sup>2</sup> is a hydrogen atom or a phenyl group, which is unsubstituted or substituted with 1 or 2 unsubstituted

substituents chosen from fluorine atoms, chlorine atoms, and nitro, C<sub>1</sub>-C<sub>4</sub> hydroxyalkyl and -CO<sub>2</sub>-(C<sub>1</sub>-C<sub>2</sub> alkyl) groups.

4. (Previously Presented) A compound according to claim 1, wherein R<sup>1</sup> represents a group chosen from:

- a (C<sub>1</sub>-C<sub>4</sub>) alkyl group, which is optionally substituted by one or more hydroxy groups; and
- groups of formula



wherein n is an integer from 1 to 3 and R<sup>6</sup> represents a (C<sub>3</sub>-C<sub>6</sub>) cycloalkyl group.

5. (Original) A compound according to claim 4, wherein R<sup>1</sup> is an unsubstituted C<sub>1</sub>-C<sub>4</sub> alkyl, an unsubstituted C<sub>1</sub>-C<sub>4</sub> hydroxyalkyl or an unsubstituted cyclopropyl-(C<sub>1</sub>-C<sub>4</sub> alkyl)- group.

6. (Previously Presented) A compound according to claim 1, wherein R<sup>3</sup> represents a monocyclic or polycyclic aryl or heteroaryl group, wherein said monocyclic or polycyclic aryl or heteroaryl group is optionally substituted by one or more substituents chosen from:

- halogen atoms;
- alkyl and alkylene groups, wherein said alkyl and alkylene groups are optionally substituted by one or more substituents chosen from halogen atoms;

- phenyl, hydroxy, hydroxycarbonyl, hydroxyalkyl, alkoxy, carbonyl, alkoxy, cycloalkoxy, nitro, aryloxy, alkylthio, alkylsulphinyl, alkylsulphonyl, alkylsulfamoyl, acyl, amino, mono- or di-alkylamino, acylamino, hydroxycarbonyl, alkoxy, carbonyl, alkoxy, carbonyl, mono- and di-alkylcarbonyl, ureido, N'-alkylureido, N',N'-dialkylureido, alkylsulphamido, aminosulphonyl, mono- and di-alkylaminosulphonyl, cyano, difluoromethoxy and trifluoromethoxy groups;

7. (Previously Presented) A compound according to claim 6, wherein R<sup>3</sup> represents a group chosen from monocyclic or polycyclic aryl or heteroaryl groups, wherein said monocyclic or polycyclic aryl or heteroaryl groups are optionally substituted by one or more substituents chosen from:

- halogen atoms;
- (C<sub>1</sub>-C<sub>4</sub>) alkyl groups, which are optionally substituted by one or more hydroxy groups;
- and (C<sub>1</sub>-C<sub>4</sub>) alkoxy, nitro, hydroxy, hydroxycarbonyl, carbamoyl, (C<sub>1</sub>-C<sub>4</sub> alkoxy)-carbonyl and cyano groups.

8. (Previously Presented) A compound according to claim 7, wherein R<sup>3</sup> represents a phenyl group, a naphthyl group or a 5- to 14-membered monocyclic or polycyclic heteroaryl group containing 1, 2 or 3 heteroatoms chosen from N, O and S, the phenyl, naphthyl and heteroaryl groups being unsubstituted or substituted with 1 or 2 unsubstituted substituents chosen from:


- halogen atoms;

- C<sub>1</sub>-C<sub>4</sub> alkyl and C<sub>1</sub>-C<sub>4</sub> hydroxyalkyl groups; and
- C<sub>1</sub>-C<sub>4</sub> alkoxy, nitro, hydroxy, hydroxycarbonyl, carbamoyl, (C<sub>1</sub>-C<sub>4</sub> alkoxy)-carbonyl and cyano groups.

9. (Previously Presented) A compound according to claim 8 wherein R<sup>3</sup> represents a phenyl group, a naphthyl group or a substituted or unsubstituted heteroaryl group chosen from substituted or unsubstituted oxadiazolyl, oxazolyl, pyridyl, pyrrolyl, imidazolyl, thiazolyl, thiadiazolyl, thienyl, furanyl, quinoliny, isoquinoliny, indolyl, benzoxazolyl, naphthyridinyl, benzofuranyl, pyrazinyl, pyrimidinyl and pyrrolopyridyl radicals.

10. (Previously Presented) A compound according to claim 1, wherein R<sup>4</sup> represents:

- an unsubstituted mono-(C<sub>1</sub>-C<sub>4</sub> alkyl)amino or unsubstituted di-(C<sub>1</sub>-C<sub>4</sub> alkyl)amino group;
- a C<sub>1</sub>-C<sub>4</sub> alkyl group which is unsubstituted or substituted by one or more substituents chosen from hydroxy, C<sub>1</sub>-C<sub>4</sub> alkoxy, amino, mono-(C<sub>1</sub>-C<sub>4</sub> alkyl)amino and di-(C<sub>1</sub>-C<sub>4</sub> alkyl)amino groups;
- an unsubstituted phenyl-(C<sub>1</sub>-C<sub>4</sub> alkyl)- group; or
- a group of formula



wherein n is 2 and R<sup>6</sup> represents a radical chosen from phenyl, pyridyl and thienyl, optionally substituted by one or more substituents chosen from halogen atoms, alkyl,



hydroxy, alkoxy, alkylendioxy, amino, mono- and di-alkylamino, nitro, ciano and trifluoromethyl groups.

11. (Previously Presented) A compound according to claim 10 wherein  $R^4$  represents an alkyl group having from 1 to 6 carbon atoms and which is optionally substituted by one or more substituents chosen from halogen atoms and hydroxy groups.

12. (Previously Presented) A compound according to claim 1, wherein  $R^5$  represents a group  $COOR^7$  or a monocyclic or polycyclic aryl or heteroaryl group, wherein said  $COOR^7$  or monocyclic or polycyclic aryl or heteroaryl group is optionally substituted by one or more substituents chosen from halogen atoms,  $C_1$ - $C_4$  alkyl groups,  $C_1$ - $C_4$  alkoxy carbonyl groups, hydroxycarbonyl groups and  $C_1$ - $C_4$  alkoxy groups.

13. (Previously Presented) A compound according to claim 12, wherein  $R^5$  represents a group  $COOR^7$  or a monocyclic or polycyclic aryl or heteroaryl group, wherein said  $COOR^7$  or a monocyclic or polycyclic aryl or heteroaryl group is optionally substituted by one or more substituents chosen from halogen atoms and  $C_1$ - $C_4$  alkoxy groups.


14. (Previously Presented) A compound according to claim 12, wherein  $R^5$  represents  $-CO_2R^7$ , wherein  $R^7$  represents an unsubstituted  $C_1$ - $C_4$  alkyl group, or  $R^5$  represents a phenyl group or a 5- to 10- membered monocyclic or polycyclic heteroaryl group containing 1 or 2 heteroatoms chosen from N, O and S, the phenyl and heteroaryl

groups being unsubstituted or substituted by 1 or 2 substituents chosen from C<sub>1</sub>-C<sub>4</sub> alkoxy groups and halogen atoms.

15. (Previously Presented) A compound according to claim 14, wherein R<sup>5</sup> represents a phenyl group, or a substituted or unsubstituted heteroaryl group chosen from substituted or unsubstituted oxadiazolyl, oxazolyl, pyridyl, pyrrolyl, imidazolyl, thiazolyl, thiadiazolyl, thienyl, furanyl, quinoliny, isoquinoliny, indolyl, benzoxazolyl, naphthyridinyl, benzofuranyl, pyrazinyl, pyrimidinyl and pyrrolopyridyl radicals.

16. (Currently Amended) ~~A compound according to claim 1, wherein~~

A pyridazin-3(2H)-one derivative compound of formula (I):




wherein

R<sup>1</sup> and R<sup>2</sup> represent independently from each other:

- a hydrogen atom;
- a group chosen from acyl, hydroxycarbonyl, alkoxycarbonyl, carbamoyl, monoalkylcarbamoyl and dialkylcarbamoyl;
- an alkyl, alkenyl or alkynyl group, wherein said alkyl, alkenyl or alkynyl group is optionally substituted by one or more substituents chosen from halogen atoms,

hydroxy, alkoxy, aryloxy, alkylthio, oxo, amino, mono- and di-alkylamino, acylamino, carbamoyl and mono- and di-alkylcarbamoyl groups;

- an aryl or heteroaryl group, wherein said aryl or heteroaryl group is optionally substituted by one or more substituents chosen from halogen atoms, hydroxy, hydroxyalkyl, hydroxycarbonyl, alkoxy, alkylenedioxy, alkoxyacyl, aryloxy, acyl, acyloxy, alkylthio, amino, nitro, cyano, mono- and di-alkylamino, acylamino, carbamoyl, mono- and di-alkylcarbamoyl, difluoromethyl, trifluoromethyl, difluoromethoxy and trifluoromethoxy groups;
- a saturated or unsaturated heterocyclic group, which is optionally substituted by one or more substituents chosen from halogen atoms, hydroxy, hydroxyalkyl, hydroxycarbonyl, alkoxy, alkylenedioxy, alkoxyacyl, aryloxy, acyl, acyloxy, alkylthio, oxo, amino, nitro, cyano, mono- and di-alkylamino, acylamino, carbamoyl, mono- and di-alkylcarbamoyl, difluoromethyl, trifluoromethyl, difluoromethoxy and trifluoromethoxy groups;
- a group of formula



wherein n is an integer from 0 to 4 and R<sup>6</sup> represents:

- a cycloalkyl or cycloalkenyl group;
- an aryl group, which is optionally substituted by one or more substituents chosen from halogen atoms, alkyl, hydroxy, alkoxy, alkylenedioxy, alkylthio, amino, mono- and di-alkylamino, nitro, acyl, hydroxycarbonyl, alkoxy carbonyl, carbamoyl, mono- and di-alkylcarbamoyl, cyano, trifluoromethyl, difluoromethoxy and trifluoromethoxy groups;

- or a 3- to 7-membered ring having from 1 to 4 heteroatoms chosen from nitrogen, oxygen and sulphur, which ring is optionally substituted by one or more substituents chosen from halogen atoms, alkyl, hydroxy, alkoxy, alkylendioxy, amino, mono- and di-alkylamino, nitro, cyano and trifluoromethyl groups;


R<sup>3</sup> represents a monocyclic or polycyclic aryl or heteroaryl group, which is optionally substituted by one or more substituents chosen from:

- halogen atoms;
- alkyl and alkylene groups, which are optionally substituted by one or more substituents chosen from halogen atoms; phenyl, hydroxy, hydroxyalkyl, alkoxy, aryloxy, alkylthio, oxo, amino, mono- and di-alkylamino, acylamino, hydroxycarbonyl, alkoxycarbonyl, carbamoyl, and mono- and di-alkylcarbamoyl groups;
- phenyl, hydroxy, hydroxyalkyl, alkoxy, cycloalkoxy, nitro, aryloxy, alkylthio, alkylsulphinyl, alkylsulphonyl, alkylsulfamoyl, acyl, amino, mono- and di-alkylamino, acylamino, hydroxycarbonyl, alkoxycarbonyl, carbamoyl, mono- and di-alkylcarbamoyl, ureido, N'-alkylureido, N',N'-dialkylureido, alkylsulphamido, aminosulphonyl, mono- and di-alkylaminosulphonyl, cyano, difluoromethoxy and trifluoromethoxy groups;

R<sup>5</sup> represents a group -COOR<sup>7</sup> or a monocyclic or polycyclic aryl or heteroaryl group, wherein said -COOR<sup>7</sup> or monocyclic or polycyclic aryl or heteroaryl group is optionally substituted by one or more substituents chosen from:

- halogen atoms;
- alkyl and alkenyl groups, which are optionally substituted by one or more substituents chosen from halogen atoms, phenyl, hydroxy, hydroxyalkyl, alkoxy, aryloxy, alkylthio, oxo, amino, mono- and di-alkylamino, acylamino, hydroxycarbonyl, alkoxycarbonyl, carbamoyl, and mono- and di-alkylcarbamoyl groups; and
- phenyl, hydroxy, alkylendioxy, alkoxy, cycloalkyloxy, alkylthio, alkylsulphinyl, alkylsulphonyl, alkylsulfamoyl, amino, mono- and di-alkylamino, acylamino, nitro, acyl, hydroxycarbonyl, alkoxycarbonyl, carbamoyl, mono- and di-alkylcarbamoyl, ureido, N'-alkylureido, N',N'-dialkylureido, alkylsulphamido, aminosulphonyl, mono- and di-alkylaminosulphonyl, cyano, difluoromethoxy and trifluoromethoxy groups;


R<sup>7</sup> represents an alkyl, which is optionally substituted by one or more substituents chosen from halogen atoms, hydroxy, alkoxy, aryloxy, alkylthio, oxo, amino, mono- and di-alkylamino, acylamino, hydroxycarbonyl, alkoxycarbonyl, carbamoyl, mono- and di-alkylcarbamoyl groups, and a group of formula



wherein n and R<sup>6</sup> are as defined above; and

R<sup>4</sup> represents:

- a hydrogen atom;
- a hydroxy, alkoxy, amino, mono- or di-alkylamino group;
- an alkyl, alkenyl or alkynyl group, wherein said alkyl, alkenyl or alkynyl group is optionally substituted by one or more substituents chosen from halogen atoms, hydroxy, alkoxy, aryloxy, alkylthio, oxo, amino, mono- and di-alkylamino, acylamino, hydroxycarbonyl, alkoxycarbonyl, carbamoyl and mono- and di-alkylcarbamoyl groups;
- or a group of formula




wherein n and R<sup>6</sup> are as defined above

or a N-oxide obtainable from heteroaryl radicals present in the structure when said heteroradical comprise at least one N atom or a pharmaceutically acceptable salt thereof

with the proviso that when R<sup>5</sup> is neither an optionally substituted heteroaryl group nor a group COOR<sup>7</sup>, R<sup>3</sup> is an optionally substituted heteroaryl group;

wherein when R<sup>5</sup> represents a polycyclic heteroaryl group, R<sup>5</sup> represents a group of formula (XXIII):



wherein Y represents an O atom, a S atom or an -NH- group, n is 0, 1 or 2 and each R is the same or different and is a C<sub>1</sub>-C<sub>4</sub> alkoxy group or a halogen atom.

17. (Currently Amended) A compound ~~as claimed in claim 1~~, chosen from :

5-acetyl-2-ethyl-4-[(3-fluorophenyl)amino]-6-pyridin-3-ylpyridazin-3(2H)-one;

5-acetyl-4-[(3-chlorophenyl)amino]-2-ethyl-6-pyridin-3-ylpyridazin-3(2H)-one;

5-acetyl-4-[(3,5-dichlorophenyl)amino]-2-ethyl-6-pyridin-3-ylpyridazin-3(2H)-one;

5-acetyl-2-ethyl-4-(1-naphthylamino)-6-pyridin-3-ylpyridazin-3(2H)-one;

methyl 4-[(5-acetyl-2-ethyl-3-oxo-6-pyridin-3-yl-2,3-dihydropyridazin-4-yl)amino]benzoate;

5-acetyl-2-ethyl-4-[(2-fluorophenyl)amino]-6-pyridin-3-ylpyridazin-3(2H)-one;

5-acetyl-4-[(2-chlorophenyl)amino]-2-ethyl-6-pyridin-3-ylpyridazin-3(2H)-one;

5-acetyl-2-ethyl-4-[[4-(hydroxymethyl)phenyl]amino]-6-pyridin-3-ylpyridazin-3(2H)-one;

3-[(5-acetyl-2-ethyl-3-oxo-6-pyridin-3-yl-2,3-dihydropyridazin-4-yl)amino]benzonitrile;

5-acetyl-4-[(3-chlorophenyl)amino]-2-(cyclopropylmethyl)-6-pyridin-3-ylpyridazin-3(2H)-one;

5-acetyl-2-(cyclopropylmethyl)-4-[(3,5-dichlorophenyl)amino]-6-pyridin-3-ylpyridazin-3(2H)-one;

5-acetyl-2-(cyclopropylmethyl)-4-[(2-fluorophenyl)amino]-6-pyridin-3-ylpyridazin-3(2H)-one;

5-acetyl-4-[(2-chlorophenyl)amino]-2-(cyclopropylmethyl)-6-pyridin-3-ylpyridazin-3(2H)-one;

3-[[5-acetyl-2-(cyclopropylmethyl)-3-oxo-6-pyridin-3-yl-2,3-dihydropyridazin-4-yl]amino]benzonitrile;

methyl 4-[[5-acetyl-2-(2-hydroxyethyl)-3-oxo-6-pyridin-3-yl-2,3-dihydropyridazin-4-yl]amino]benzoate;

5-acetyl-4-[(2-fluorophenyl)amino]-2-(2-hydroxyethyl)-6-pyridin-3-ylpyridazin-3(2H)-one;

5-acetyl-4-[(2-chlorophenyl)amino]-2-(2-hydroxyethyl)-6-pyridin-3-ylpyridazin-3(2H)-one;

5-acetyl-4-[(3-chlorophenyl)amino]-2-(2-hydroxyethyl)-6-pyridin-3-ylpyridazin-3(2H)-one;

5-acetyl-4-[(3-chlorophenyl)amino]-2-ethyl-6-pyridin-2-ylpyridazin-3(2H)-one;

3-[(5-acetyl-2-ethyl-3-oxo-6-pyridin-2-yl-2,3-dihydropyridazin-4-yl)amino]benzonitrile;

5-acetyl-2-ethyl-4-[[4-(hydroxymethyl)phenyl]amino]-6-pyridin-2-ylpyridazin-3(2H)-one;

3-[[5-acetyl-2-(cyclopropylmethyl)-3-oxo-6-pyridin-2-yl-2,3-dihydropyridazin-4-yl]amino]benzonitrile;



5-acetyl-4-[(3-chlorophenyl)amino]-2-(cyclopropylmethyl)-6-pyridin-2-ylpyridazin-3(2H)-one;

5-acetyl-2-(cyclopropylmethyl)-4-[[4-(hydroxymethyl)phenyl]amino]-6-pyridin-2-ylpyridazin-3(2H)-one;

5-acetyl-2-(cyclopropylmethyl)-4-[(3,5-dichlorophenyl)amino]-6-pyridin-2-ylpyridazin-3(2H)-one;

3-[[5-acetyl-2-(2-hydroxyethyl)-3-oxo-6-pyridin-2-yl-2,3-dihydropyridazin-4-yl]amino]benzonitrile;

5-acetyl-4-[(3-chlorophenyl)amino]-2-(2-hydroxyethyl)-6-pyridin-2-ylpyridazin-3(2H)-one;

5-acetyl-4-[(3,5-dichlorophenyl)amino]-2-(2-hydroxyethyl)-6-pyridin-2-ylpyridazin-3(2H)-one;

5-acetyl-2-(2-hydroxyethyl)-4-[[4-(hydroxymethyl)phenyl]amino]-6-pyridin-2-ylpyridazin-3(2H)-one;

5-acetyl-2-ethyl-4-[(3-fluorophenyl)amino]-6-pyridin-4-ylpyridazin-3(2H)-one;

5-acetyl-4-[(3-chlorophenyl)amino]-2-ethyl-6-pyridin-4-ylpyridazin-3(2H)-one;

5-acetyl-2-ethyl-4-(1-naphthylamino)-6-pyridin-4-ylpyridazin-3(2H)-one;

5-acetyl-2-ethyl-4-[(2-methylphenyl)amino]-6-pyridin-4-ylpyridazin-3(2H)-one;

methyl 4-[(5-acetyl-2-ethyl-3-oxo-6-pyridin-4-yl-2,3-dihydropyridazin-4-yl)amino]benzoate;

5-acetyl-2-ethyl-4-[(2-methoxyphenyl)amino]-6-pyridin-4-ylpyridazin-3(2H)-one;

5-acetyl-2-ethyl-4-[(3-methoxyphenyl)amino]-6-pyridin-4-ylpyridazin-3(2H)-one;

5-acetyl-2-ethyl-4-[(2-fluorophenyl)amino]-6-pyridin-4-ylpyridazin-3(2H)-one;

5-acetyl-4-[(2-chlorophenyl)amino]-2-ethyl-6-pyridin-4-ylpyridazin-3(2H)-one;  
3-[(5-acetyl-2-ethyl-3-oxo-6-pyridin-4-yl-2,3-dihydropyridazin-4-yl)amino]benzonitrile;  
5-acetyl-2-ethyl-4-{[4-(hydroxymethyl)phenyl]amino}-6-pyridin-4-ylpyridazin-3(2H)-one;  
4-[(5-acetyl-2-ethyl-3-oxo-6-pyridin-4-yl-2,3-dihydropyridazin-4-yl)amino]benzoic acid;  
5-acetyl-2-(cyclopropylmethyl)-4-[(2-fluorophenyl)amino]-6-pyridin-4-ylpyridazin-3(2H)-one;  
5-acetyl-4-[(2-chlorophenyl)amino]-2-(cyclopropylmethyl)-6-pyridin-4-ylpyridazin-3(2H)-one;  
3-{[5-acetyl-2-(cyclopropylmethyl)-3-oxo-6-pyridin-4-yl-2,3-dihydropyridazin-4-yl]amino}benzonitrile;  
5-acetyl-2-(cyclopropylmethyl)-4-{[4-(hydroxymethyl)phenyl]amino}-6-pyridin-4-ylpyridazin-3(2H)-one;  
5-acetyl-4-[(3-chlorophenyl)amino]-2-(cyclopropylmethyl)-6-pyridin-4-ylpyridazin-3(2H)-one;  
5-acetyl-4-[(2-fluorophenyl)amino]-2-(2-hydroxyethyl)-6-pyridin-4-ylpyridazin-3(2H)-one;  
5-acetyl-4-[(2-chlorophenyl)amino]-2-(2-hydroxyethyl)-6-pyridin-4-ylpyridazin-3(2H)-one;  
3-{[5-acetyl-2-(2-hydroxyethyl)-3-oxo-6-pyridin-4-yl-2,3-dihydropyridazin-4-yl]amino}benzonitrile;

5-acetyl-2-(2-hydroxyethyl)-4-[[4-(hydroxymethyl)phenyl]amino]-6-pyridin-4-ylpyridazin-3(2H)-one;

5-acetyl-4-[(3-chlorophenyl)amino]-2-(2-hydroxyethyl)-6-pyridin-4-ylpyridazin-3(2H)-one;

5-acetyl-4-[(3-chlorophenyl)amino]-2-ethyl-6-thien-2-ylpyridazin-3(2H)-one;

5-acetyl-4-[bis(3-fluorophenyl)amino]-2-ethyl-6-pyridin-3-ylpyridazin-3(2H)-one;

5-acetyl-4-[bis-(4-methoxycarbonylphenyl)-amino]-2-ethyl-6-pyridin-3-ylpyridazin-3(2H)-one;

5-acetyl-4-{bis[4-(hydroxymethyl)phenyl]amino}-2-ethyl-6-pyridin-3-ylpyridazin-3(2H)-one;

5-acetyl-4-[bis(3-nitrophenyl)amino]-2-ethyl-6-pyridin-4-ylpyridazin-3(2H)-one;

5-acetyl-4-[bis(3-fluorophenyl)amino]-2-ethyl-6-pyridin-4-ylpyridazin-3(2H)-one;

5-acetyl-4-[bis(3-chlorophenyl)amino]-2-(cyclopropylmethyl)-6-pyridin-3-ylpyridazin-3(2H)-one;

5-acetyl-4-[bis(3,5-dichlorophenyl)amino]-2-(cyclopropylmethyl)-6-pyridin-3-ylpyridazin-3(2H)-one;

5-acetyl-4-[bis(4-methoxycarbonylphenyl)amino]-2-(2-hydroxyethyl)-6-pyridin-3-ylpyridazin-3(2H)-one;

5-acetyl-4-[bis(3-chlorophenyl)amino]-2-(2-hydroxyethyl)-6-pyridin-2-ylpyridazin-3(2H)-one;

5-acetyl-4-[bis(3-chlorophenyl)amino]-2-(cyclopropylmethyl)-6-pyridin-4-ylpyridazin-3(2H)-one;

5-acetyl-2-ethyl-6-phenyl-4-(pyridin-3-ylamino)pyridazin-3(2H)-one;

5-acetyl-4-[(3,5-dichloropyridin-4-yl)amino]-2-ethyl-6-phenylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-phenyl-4-(pyrazin-2-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-phenyl-4-(pyrimidin-2-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-phenyl-4-(quinolin-8-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-[(5-nitropyridin-2-yl)amino]-6-phenylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-(1h-indol-4-ylamino)-6-phenylpyridazin-3(2H)-one;  
5-acetyl-4-(1,3-benzothiazol-6-ylamino)-2-ethyl-6-phenylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-phenyl-4-(thianthren-1-ylamino)pyridazin-3(2H)-one;  
methyl 3-[(5-acetyl-2-ethyl-3-oxo-6-phenyl-2,3-dihydropyridazin-4-yl)amino]thiophene-2-carboxylate;  
5-acetyl-2-ethyl-4-[(4-methylpyridin-2-yl)amino]-6-phenylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-phenyl-4-(1h-1,2,4-triazol-5-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-[(6-methoxypyridin-3-yl)amino]-6-phenylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-(2H-indazol-5-ylamino)-6-phenylpyridazin-3(2H)-one;  
methyl 4-[(5-acetyl-2-ethyl-3-oxo-6-phenyl-2,3-dihydropyridazin-4-yl)amino]thiophene-3-carboxylate;  
5-acetyl-2-ethyl-6-phenyl-4-(pyridin-2-ylamino)pyridazin-3(2H)-one;  
3-[(5-acetyl-2-ethyl-3-oxo-6-phenyl-2,3-dihydropyridazin-4-yl)amino]thiophene-2-carboxylic acid;  
5-acetyl-2-ethyl-4-[(3-methylcinnolin-5-yl)amino]-6-phenylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-[(2-methylquinolin-8-yl)amino]-6-phenylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-phenyl-4-(quinolin-5-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-(1h-indol-5-ylamino)-6-phenylpyridazin-3(2H)-one;

5-acetyl-2-ethyl-4-(isoquinolin-5-ylamino)-6-phenylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-[(6-methoxyquinolin-8-yl)amino]-6-phenylpyridazin-3(2H)-one;  
5-acetyl-4-[(5-bromoquinolin-8-yl)amino]-2-ethyl-6-phenylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-[(4-methylpyrimidin-2-yl)amino]-6-phenylpyridazin-3(2H)-one;  
5-acetyl-6-(3-chlorophenyl)-2-ethyl-4-(pyridin-3-ylamino)pyridazin-3(2H)-one;  
5-acetyl-6-(3-chlorophenyl)-2-(cyclopropylmethyl)-4-(pyridin-3-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-(3-fluorophenyl)-4-(pyridin-3-ylamino)pyridazin-3(2H)-one;  
5-acetyl-6-(3-fluorophenyl)-2-isopropyl-4-(pyridin-3-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-(cyclopropylmethyl)-6-(3-fluorophenyl)-4-(pyridin-3-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-(4-fluorophenyl)-4-(pyridin-3-ylamino)pyridazin-3(2H)-one;  
5-acetyl-6-(1h-benzimidazol-2-yl)-4-[(3-chlorophenyl)amino]-2-ethylpyridazin-3(2H)-one;  
5-acetyl-6-(1,3-benzoxazol-2-yl)-4-[(3-chlorophenyl)amino]-2-ethylpyridazin-3(2H)-one;  
5-acetyl-6-(1,3-benzoxazol-2-yl)-2-ethyl-4-[(3-fluorophenyl)amino]pyridazin-3(2H)-one;  
5-acetyl-6-benzoxazol-2-yl-4-[bis-(3-chlorophenyl)-amino]-2-ethyl-pyridazin-3(2H)-one;  
5-acetyl-6-benzoxazol-2-yl-4-[bis-(3-fluorophenyl)-amino]-2-ethyl-pyridazin-3(2H)-one;  
3-[(5-acetyl-2-ethyl-3-oxo-6-pyridin-3-yl-2,3-dihydropyridazin-4-yl)amino]benzamide;

5-acetyl-2-ethyl-4-(isoquinolin-1-ylamino)-6-phenylpyridazin-3(2H)-one;  
5-acetyl-4-[(2-butylquinazolin-4-yl)amino]-2-ethyl-6-phenylpyridazin-3(2H)-one;  
5-acetyl-4-(1,2-benzisothiazol-3-ylamino)-2-ethyl-6-phenylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-phenyl-4-(pyridin-4-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-[(2-hydroxy-7h-purin-6-yl)amino]-6-phenylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-phenyl-4-(quinazolin-4-ylamino)pyridazin-3(2H)-one;  
5-acetyl-4-[(4-chloro-1H-indazol-3-yl)amino]-2-ethyl-6-phenylpyridazin-3(2H)-one;  
5-acetyl-4-[(7-chloroquinolin-4-yl)amino]-2-ethyl-6-phenylpyridazin-3(2H)-one;  
5-acetyl-4-[(4,6-dichloropyrimidin-2-yl)amino]-2-ethyl-6-phenylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-[(6-hydroxy-2H-pyrazolo[3,4-d]pyrimidin-4-yl)amino]-6-phenylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-[(2-methylquinolin-4-yl)amino]-6-phenylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-(1H-imidazol-2-ylamino)-6-phenylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-phenyl-4-(quinolin-4-ylamino)pyridazin-3(2H)-one;  
5-acetyl-4-(cinnolin-4-ylamino)-2-ethyl-6-phenylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-phenyl-4-(1H-pyrazolo[3,4-d]pyrimidin-4-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-phenyl-4-(thieno[2,3-d]pyrimidin-4-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-(1H-indazol-6-ylamino)-6-phenylpyridazin-3(2H)-one;  
5-acetyl-4-[(3-chlorophenyl)amino]-2-ethyl-6-(2-methoxypyridin-4-yl)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-{[4-(hydroxymethyl)phenyl]amino}-6-(6-methoxypyridin-3-yl)pyridazin-3(2H)-one;

5-acetyl-2-ethyl-4-[(3-methoxyphenyl)amino]-6-thien-3-ylpyridazin-3(2H)-one;  
5-acetyl-6-(1-benzofuran-5-yl)-2-ethyl-4-[(3-fluorophenyl)amino]pyridazin-3(2H)-one;  
1-ethyl-5-[(3-methoxyphenyl)amino]-n,n-dimethyl-6-oxo-3-pyridin-3-yl-1,6-  
dihydropyridazine-4-carboxamide;  
5-[(3-chlorophenyl)amino]-1-ethyl-n-methyl-6-oxo-3-pyridin-4-yl-1,6-  
dihydropyridazine-4-carboxamide;  
2-ethyl-4-[(3-fluorophenyl)amino]-5-glycoloyl-6-pyridin-4-ylpyridazin-3(2H)-one;  
2-ethyl-4-[(3-fluorophenyl)amino]-5-(methoxyacetyl)-6-pyridin-3-ylpyridazin-  
3(2H)-one;  
5-[(dimethylamino)acetyl]-2-ethyl-4-[(3-methoxyphenyl)amino]-6-pyridin-3-  
ylpyridazin-3(2H)-one;  
2-ethyl-4-[(3-fluorophenyl)amino]-5-[(methylamino)acetyl]-6-pyridin-4-ylpyridazin-  
3(2H)-one;  
3-[[2-ethyl-3-oxo-5-(3-phenylpropanoyl)-6-pyridin-4-yl-2,3-dihydropyridazin-4-  
yl]amino}benzamide;  
ethyl 4-acetyl-5-[(3-chlorophenyl)amino]-1-ethyl-6-oxo-1,6-dihydropyridazine-3-  
carboxylate;  
ethyl 4-acetyl-5-amino-1-ethyl-6-oxo-1,6-dihydropyridazine-3-carboxylate;  
5-acetyl-6-(1,3-benzoxazol-2-yl)-2-ethyl-4-[(3-methoxyphenyl)amino]pyridazin-  
3(2H)-one;  
5-acetyl-6-(1,3-benzoxazol-2-yl)-2-ethyl-4-[[4-  
(hydroxymethyl)phenyl]amino}pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-(isoquinolin-4-ylamino)-6-phenylpyridazin-3(2H)-one;

5-acetyl-2-ethyl-4-(1,6-naphthyridin-8-ylamino)-6-phenylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-[(5-methoxypyridin-3-yl)amino]-6-phenylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-pyridin-4-yl-4-(pyridin-3-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-[(4-methylpyridin-3-yl)amino]-6-pyridin-4-ylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-(isoquinolin-4-ylamino)-6-pyridin-4-ylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-pyridin-4-yl-4-[(3,4,5-trifluorophenyl)amino]pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-[(4-methylpyridin-3-yl)amino]-6-pyridin-3-ylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-(isoquinolin-4-ylamino)-6-pyridin-3-ylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-pyridin-3-yl-4-[(3,4,5-trifluorophenyl)amino]pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-(quinolin-5-ylamino)-6-thien-2-ylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-(pyridin-3-ylamino)-6-thien-2-ylpyridazin-3(2H)-one;  
4-[(5-acetyl-2-ethyl-3-oxo-6-thien-2-yl-2,3-dihydropyridazin-4-yl)amino]benzonitrile;  
5-acetyl-2-ethyl-6-thien-2-yl-4-[(3,4,5-trifluorophenyl)amino]pyridazin-3(2H)-one;  
5-Acetyl-4-(bis (4-cyanophenyl)amino)- 2-ethyl-6-thien-2-ylpyridazin-3(2H)-one;  
5-acetyl-2-(cyclopropylmethyl)-4-(quinolin-5-ylamino)-6-thien-2-ylpyridazin-  
3(2H)-one;  
5-acetyl-2-(cyclopropylmethyl)-4-(pyridin-3-ylamino)-6-thien-2-ylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-(quinolin-5-ylamino)-6-thien-3-ylpyridazin-3(2H)-one;  
5-acetyl-4-[(3-chlorophenyl)amino]-2-ethyl-6-thien-3-ylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-(pyridin-3-ylamino)-6-thien-3-ylpyridazin-3(2H)-one;  
4-[(5-acetyl-2-ethyl-3-oxo-6-thien-3-yl-2,3-dihydropyridazin-4-yl)amino]benzonitrile;  
5-acetyl-2-ethyl-6-thien-3-yl-4-[(3,4,5-trifluorophenyl)amino]pyridazin-3(2H)-one;  
2-ethyl-6-phenyl-5-(3-phenylpropanoyl)-4-(quinolin-5-ylamino)pyridazin-3(2H)-one;



2-ethyl-6-phenyl-5-(3-phenylpropanoyl)-4-(pyridin-3-ylamino)pyridazin-3(2H)-one;  
2-ethyl-4-(isoquinolin-4-ylamino)-6-phenyl-5-(3-phenylpropanoyl)pyridazin-  
3(2H)-one;  
2-ethyl-6-phenyl-4-(quinolin-5-ylamino)-5-(3-thien-3-ylpropanoyl)pyridazin-  
3(2H)-one;  
2-ethyl-6-phenyl-4-(pyridin-3-ylamino)-5-(3-thien-3-ylpropanoyl)pyridazin-3(2H)-one;  
5-acetyl-4-[(3-chlorophenyl)amino]-2-ethyl-6-(1H-imidazo[4,5-b]pyridin-2-  
yl)pyridazin-3(2H)-one;  
5-acetyl-6-(1,3-benzothiazol-2-yl)-4-[(3-chlorophenyl)amino]-2-ethylpyridazin-  
3(2H)-one;  
5-acetyl-6-(1-benzofuran-2-yl)-4-[(3-chlorophenyl)amino]-2-ethylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-pyridin-3-yl-4-(pyridin-3-ylamino)pyridazin-3(2H)-one;  
4-[(5-acetyl-2-ethyl-3-oxo-6-pyridin-3-yl-2,3-dihydropyridazin-4-yl)amino]benzoic  
acid;  
5-acetyl-2-ethyl-4-[(1-oxidopyridin-3-yl)amino]-6-phenylpyridazin-3(2H)-one;  
ethyl 3-(5-acetyl-2-ethyl-3-oxo-6-pyridin-4-yl-2,3-dihydro-pyridazin-4-  
ylamino)benzoate;  
3-[(5-acetyl-2-ethyl-3-oxo-6-pyridin-4-yl-2,3-dihydropyridazin-4-yl)amino]benzamide;  
5-acetyl-2-ethyl-6-phenyl-4-(thieno[2,3-b]pyridin-3-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-[(6-fluoropyridin-3-yl)amino]-6-phenylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-[(2-methylpyridin-3-yl)amino]-6-phenylpyridazin-3(2H)-one;  
5-acetyl-4-[[2-(dimethylamino)pyridin-3-yl]amino]-2-ethyl-6-phenylpyridazin-  
3(2H)-one;

5-[(5-acetyl-2-ethyl-3-oxo-6-phenyl-2,3-dihydropyridazin-4-yl)amino]pyridine-2-carboxylic acid;

5-acetyl-2-ethyl-4-[(2-methoxypyridin-3-yl)amino]-6-phenylpyridazin-3(2H)-one;

5-acetyl-2-ethyl-4-(1H-indazol-4-ylamino)-6-phenylpyridazin-3(2H)-one;

5-acetyl-4-[(2-chloropyridin-3-yl)amino]-2-ethyl-6-phenylpyridazin-3(2H)-one;

5-acetyl-4-[(5-chloropyridin-3-yl)amino]-2-ethyl-6-phenylpyridazin-3(2H)-one;

5-[(5-acetyl-2-ethyl-3-oxo-6-phenyl-2,3-dihydropyridazin-4-yl)amino]nicotinamide;

5-acetyl-2-ethyl-4-(1,7-naphthyridin-8-ylamino)-6-phenylpyridazin-3(2H)-one;

2-ethyl-5-glycoloyl-4-[(2-methylpyridin-3-yl)amino]-6-phenylpyridazin-3(2H)-one;

methyl 5-[(5-acetyl-2-ethyl-3-oxo-6-phenyl-2,3-dihydropyridazin-4-yl)amino]nicotinate;

5-[(5-acetyl-2-ethyl-3-oxo-6-phenyl-2,3-dihydropyridazin-4-yl)amino]nicotinic acid;

5-acetyl-2-ethyl-4-(1,5-naphthyridin-3-ylamino)-6-phenylpyridazin-3(2H)-one;

5-acetyl-2-ethyl-4-[(8-hydroxy-1,7-naphthyridin-5-yl)amino]-6-phenylpyridazin-3(2H)-one;

5-acetyl-2-ethyl-6-phenyl-4-(thien-2-ylamino)pyridazin-3(2H)-one;

5-acetyl-2-ethyl-6-phenyl-4-[(2-phenylpyridin-3-yl)amino]pyridazin-3(2H)-one;

ethyl {5-[(5-acetyl-2-ethyl-3-oxo-6-phenyl-2,3-dihydropyridazin-4-yl)amino]pyridin-2-yl}acetate;

5-acetyl-2-ethyl-4-[(6-methylpyridin-3-yl)amino]-6-phenylpyridazin-3(2H)-one;

5-acetyl-2-ethyl-4-[(6-hydroxypyridin-3-yl)amino]-6-phenylpyridazin-3(2H)-one;

5-acetyl-2-ethyl-4-[(2-fluoropyridin-3-yl)amino]-6-phenylpyridazin-3(2H)-one;

5-acetyl-4-[(6-chloro-4-methylpyridin-3-yl)amino]-2-ethyl-6-phenylpyridazin-3(2H)-one;

5-acetyl-2-ethyl-4-[(3-hydroxypyridin-2-yl)amino]-6-phenylpyridazin-3(2H)-one;

5-acetyl-2-ethyl-4-[(4-methoxypyridin-3-yl)amino]-6-phenylpyridazin-3(2H)-one;

5-acetyl-2-ethyl-4-(isoquinolin-8-ylamino)-6-phenylpyridazin-3(2H)-one;

5-acetyl-2-ethyl-6-phenyl-4-(quinolin-7-ylamino)pyridazin-3(2H)-one;

5-acetyl-4-[(5-chloropyridin-3-yl)amino]-2-ethyl-6-(3-fluorophenyl)pyridazin-3(2H)-one;

5-acetyl-2-ethyl-6-(4-fluorophenyl)-4-[(2-methoxypyridin-3-yl)amino]pyridazin-3(2H)-one;

5-acetyl-2-ethyl-6-(4-fluorophenyl)-4-[(2-methylpyridin-3-yl)amino]pyridazin-3(2H)-one;

5-acetyl-4-[(2-chloropyridin-3-yl)amino]-2-ethyl-6-(4-fluorophenyl)pyridazin-3(2H)-one;

5-acetyl-2-ethyl-6-(4-fluorophenyl)-4-[(4-methylpyridin-3-yl)amino]pyridazin-3(2H)-one;

5-acetyl-2-ethyl-6-(4-fluorophenyl)-4-[(2-fluoropyridin-3-yl)amino]pyridazin-3(2H)-one;

5-acetyl-4-[(2-chloropyridin-3-yl)amino]-2-(cyclopropylmethyl)-6-(4-fluorophenyl)pyridazin-3(2H)-one;

5-acetyl-2-(cyclopropylmethyl)-6-(4-fluorophenyl)-4-[(2-methoxypyridin-3-yl)amino]pyridazin-3(2H)-one;

5-acetyl-2-(cyclopropylmethyl)-6-(4-fluorophenyl)-4-[(2-methylpyridin-3-yl)amino]pyridazin-3(2H)-one;

5-acetyl-2-(cyclopropylmethyl)-6-(4-fluorophenyl)-4-[(2-fluoropyridin-3-yl)amino]pyridazin-3(2H)-one;

5-acetyl-2-(cyclopropylmethyl)-6-(4-fluorophenyl)-4-[(4-methylpyridin-3-yl)amino]pyridazin-3(2H)-one;

5-acetyl-2-(cyclopropylmethyl)-6-(4-fluorophenyl)-4-[(pyridin-3-yl)amino]pyridazin-3(2H)-one;

5-acetyl-6-(3-chlorophenyl)-2-ethyl-4-[(2-methylpyridin-3-yl)amino]pyridazin-3(2H)-one;

5-acetyl-6-(3-chlorophenyl)-4-[(2-chloropyridin-3-yl)amino]-2-ethylpyridazin-3(2H)-one;

5-acetyl-6-(3-chlorophenyl)-2-ethyl-4-[(4-methylpyridin-3-yl)amino]pyridazin-3(2H)-one;

methyl 5-[(5-acetyl-2-ethyl-3-oxo-6-phenyl-2,3-dihydropyridazin-4-yl)amino]quinoline-8-carboxylate;

5-acetyl-2-ethyl-4-[(4-methylpyridin-3-yl)amino]-6-phenylpyridazin-3(2H)-one;

5-acetyl-2-ethyl-4-(isoquinolin-4-ylamino)-6-(4-methoxyphenyl)pyridazin-3(2H)-one;

5-acetyl-2-ethyl-6-(4-methoxyphenyl)-4-(pyridin-3-ylamino)pyridazin-3(2H)-one;

5-acetyl-2-ethyl-6-(4-methoxyphenyl)-4-(quinolin-5-ylamino)pyridazin-3(2H)-one;

5-acetyl-2-ethyl-6-(4-methoxyphenyl)-4-(1-oxy-quinolin-5-ylamino)-2H-pyridazin-3-one

5-acetyl-2-ethyl-4-(isoquinolin-4-ylamino)-6-(3-methoxyphenyl)pyridazin-3(2H)-one;

5-acetyl-2-ethyl-6-(3-methoxyphenyl)-4-(pyridin-3-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-(3-methoxyphenyl)-4-(quinolin-5-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-(3-methoxyphenyl)-4-[(1-oxidoquinolin-5-yl)amino]pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-(isoquinolin-4-ylamino)-6-(4-methylphenyl)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-(4-methylphenyl)-4-(pyridin-3-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-(4-methylphenyl)-4-(quinolin-5-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-(4-methylphenyl)-4-[(1-oxidoquinolin-5-yl)amino]pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-(4-methylphenyl)-4-[(4-methylpyridin-3-yl)amino]pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-(isoquinolin-4-ylamino)-6-(3-methylphenyl)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-(3-methylphenyl)-4-(pyridin-3-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-(3-methylphenyl)-4-(quinolin-5-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-(3-methylphenyl)-4-[(4-methylpyridin-3-yl)amino]pyridazin-3(2H)-one;  
methyl 4-[4-acetyl-1-ethyl-5-(isoquinolin-4-ylamino)-6-oxo-1,6-dihydropyridazin-3-yl]benzoate;  
methyl 4-[4-acetyl-1-ethyl-6-oxo-5-(pyridin-3-ylamino)-1,6-dihydropyridazin-3-yl]benzoate;  
4-[4-acetyl-1-ethyl-6-oxo-5-(pyridin-3-ylamino)-1,6-dihydropyridazin-3-yl]benzoic acid;

methyl 4-{4-acetyl-1-ethyl-5-[(4-methylpyridin-3-yl)amino]-6-oxo-1,6-dihydropyridazin-3-yl}benzoate;

4-{4-acetyl-1-ethyl-5-[(4-methylpyridin-3-yl)amino]-6-oxo-1,6-dihydropyridazin-3-yl}benzoic acid;

methyl 3-[4-acetyl-1-ethyl-6-oxo-5-(pyridin-3-ylamino)-1,6-dihydropyridazin-3-yl]benzoate;

3-[4-acetyl-1-ethyl-6-oxo-5-(pyridin-3-ylamino)-1,6-dihydropyridazin-3-yl]benzoic acid;

5-acetyl-4-[(3-chloro-4-fluorophenyl)amino]-2-ethyl-6-pyridin-4-ylpyridazin-3(2H)-one;

5-acetyl-4-[bis(3-chloro-4-fluorophenyl)amino]-2-ethyl-6-pyridin-4-ylpyridazin-3(2H)-one;

5-acetyl-4-[(3-chloro-4-fluorophenyl)amino]-2-ethyl-6-pyridin-3-ylpyridazin-3(2H)-one;

5-acetyl-4-[bis(3-chloro-4-fluorophenyl)amino]-2-ethyl-6-pyridin-3-ylpyridazin-3(2H)-one;

methyl [4-acetyl-6-oxo-3-phenyl-5-(quinolin-5-ylamino)pyridazin-1(6H)-yl]acetate;

[4-acetyl-6-oxo-3-phenyl-5-(quinolin-5-ylamino)pyridazin-1(6H)-yl]acetic acid;

5-acetyl-2-ethyl-4-[(3-methylpyridin-2-yl)amino]-6-phenylpyridazin-3(2H)-one;

5-acetyl-2-ethyl-6-phenyl-4-(1H-pyrazol-3-ylamino)pyridazin-3(2H)-one;

5-acetyl-2-ethyl-6-phenyl-4-(9H-purin-6-ylamino)pyridazin-3(2H)-one;

5-acetyl-2-ethyl-4-[(3-methylisoxazol-5-yl)amino]-6-phenylpyridazin-3(2H)-one;

5-acetyl-2-ethyl-4-[(8-hydroxyquinolin-5-yl)amino]-6-phenylpyridazin-3(2H)-one;

5-acetyl-2-ethyl-4-(1H-indazol-7-ylamino)-6-phenylpyridazin-3(2H)-one;  
5-acetyl-4-[(6-bromoquinolin-8-yl)amino]-2-ethyl-6-phenylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-[(5-methylisoxazol-3-yl)amino]-6-phenylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-(isoxazol-3-ylamino)-6-phenylpyridazin-3(2H)-one;  
5-acetyl-2-(cyclopropylmethyl)-6-phenyl-4-(quinolin-5-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-(cyclopropylmethyl)-6-phenyl-4-(quinolin-8-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-[(1-methyl-1H-pyrazol-3-yl)amino]-6-phenylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-[(1-oxidoquinolin-5-yl)amino]-6-phenylpyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-[(2-oxidoisoquinolin-5-yl)amino]-6-phenylpyridazin-3(2H)-one;  
5-acetyl-6-(3-chlorophenyl)-2-ethyl-4-(quinolin-5-ylamino)pyridazin-3(2H)-one;  
5-acetyl-6-(3-chlorophenyl)-2-ethyl-4-(quinolin-8-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-pyridin-4-yl-4-(quinolin-5-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-pyridin-3-yl-4-(quinolin-5-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-4-[(8-fluoroquinolin-5-yl)amino]-6-phenylpyridazin-3(2H)-one;  
5-acetyl-2-(cyclopropylmethyl)-6-(4-fluorophenyl)-4-(quinolin-8-ylamino)pyridazin-  
3(2H)-one;  
5-acetyl-2-ethyl-6-(4-fluorophenyl)-4-(quinolin-5-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-(4-fluorophenyl)-4-(quinolin-8-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-(cyclopropylmethyl)-6-(4-fluorophenyl)-4-(quinolin-5-ylamino)pyridazin-  
3(2H)-one;  
5-acetyl-6-(3-chlorophenyl)-2-ethyl-4-[(1-oxidoquinolin-5-yl)amino]pyridazin-  
3(2H)-one;  
5-acetyl-2-ethyl-4-[(2-methylquinolin-5-yl)amino]-6-phenylpyridazin-3(2H)-one;

5-acetyl-6-(3-chlorophenyl)-2-ethyl-4-(isoquinolin-5-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-(4-fluorophenyl)-4-[(1-oxidoquinolin-5-yl)amino]pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-(3-fluorophenyl)-4-(quinolin-5-ylamino)pyridazin-3(2H)-one;  
5-acetyl-2-ethyl-6-(3-fluorophenyl)-4-[(1-oxidoquinolin-5-yl)amino]pyridazin-3(2H)-one; and  
5-[(5-acetyl-2-ethyl-3-oxo-6-phenyl-2,3-dihydropyridazin-4-yl)amino]quinoline-8-carboxylic acid and pharmaceutically acceptable salts thereof.

18. (Previously Presented) A compound as claimed in claim 17, chosen from:

5-Acetyl-2-ethyl-4-[(3-fluorophenyl)amino]-6-pyridin-3-ylpyridazin-3(2H)-one;  
5-Acetyl-2-ethyl-4-(1-naphthylamino)-6-pyridin-3-ylpyridazin-3(2H)-one;  
5-Acetyl-4-[(3-chlorophenyl)amino]-2-ethyl-6-pyridin-4-ylpyridazin-3(2H)-one;  
5-Acetyl-2-ethyl-4-(1-naphthylamino)-6-pyridin-4-ylpyridazin-3(2H)-one;  
5-Acetyl-2-ethyl-4-[(2-methylphenyl)amino]-6-pyridin-4-ylpyridazin-3(2H)-one;  
5-Acetyl-2-ethyl-4-[(3-methoxyphenyl)amino]-6-pyridin-4-ylpyridazin-3(2H)-one;  
4-[(5-Acetyl-2-ethyl-3-oxo-6-pyridin-4-yl-2,3-dihydropyridazin-4-yl)amino]benzoic acid;  
5-Acetyl-4-[(3-chlorophenyl)amino]-2-(2-hydroxyethyl)-6-pyridin-4-ylpyridazin-3(2H)-one;  
5-Acetyl-4-[(3-chlorophenyl)amino]-2-ethyl-6-thien-2-ylpyridazin-3(2H)-one;  
5-Acetyl-2-ethyl-6-phenyl-4-(pyridin-3-ylamino)pyridazin-3(2H)-one;  
5-Acetyl-2-ethyl-6-phenyl-4-(quinolin-8-ylamino)pyridazin-3(2H)-one;



5-Acetyl-2-ethyl-4-(1H-indol-4-ylamino)-6-phenylpyridazin-3(2H)-one;  
5-Acetyl-2-ethyl-6-phenyl-4-(quinolin-5-ylamino)pyridazin-3(2H)-one;  
5-Acetyl-6-(3-fluorophenyl)-2-isopropyl-4-(pyridin-3-ylamino)pyridazin-3(2H)-one;  
5-Acetyl-2-(cyclopropylmethyl)-6-(3-fluorophenyl)-4-(pyridin-3-ylamino)pyridazin-3(2H)-one;  
5-Acetyl-2-ethyl-6-(4-fluorophenyl)-4-(pyridin-3-ylamino)pyridazin-3(2H)-one;  
5-Acetyl-2-ethyl-4-(isoquinolin-5-ylamino)-6-phenylpyridazin-3(2H)-one;  
5-Acetyl-6-(1,3-benzoxazol-2-yl)-2-ethyl-4-[(3-fluorophenyl)amino]pyridazin-3(2H)-one;  
5-Acetyl-2-ethyl-4-[(1-oxidoquinolin-5-yl)amino]-6-phenylpyridazin-3(2H)-one;  
5-Acetyl-2-ethyl-4-(isoquinolin-4-ylamino)-6-phenylpyridazin-3(2H)-one;  
2-Ethyl-6-phenyl-5-(3-phenylpropanoyl)-4-(pyridin-3-ylamino)pyridazin-3(2H)-one;  
5-Acetyl-2-ethyl-4-(isoquinolin-4-ylamino)-6-(3-methylphenyl)pyridazin-3(2H)-one;  
5-Acetyl-2-ethyl-4-(isoquinolin-4-ylamino)-6-pyridin-4-ylpyridazin-3(2H)-one;  
5-Acetyl-2-ethyl-4-(isoquinolin-4-ylamino)-6-(4-methylphenyl)pyridazin-3(2H)-one;  
5-Acetyl-2-ethyl-6-(4-fluorophenyl)-4-[(4-methylpyridin-3-yl)amino]pyridazin-3(2H)-one;  
5-[(5-Acetyl-2-ethyl-3-oxo-6-phenyl-2,3-dihydropyridazin-4-yl)amino]quinoline-8-carboxylic acid;  
5-Acetyl-2-ethyl-4-[(4-methylpyridin-3-yl)amino]-6-phenylpyridazin-3(2H)-one;  
Methyl 3-[4-acetyl-1-ethyl-6-oxo-5-(pyridin-3-ylamino)-1,6-dihydropyridazin-3-yl]benzoate;

5-acetyl-2-ethyl-6-(3-methylphenyl)-4-[(4-methylpyridin-3-yl)amino]pyridazin-3(2H)-one;

5-Acetyl-2-ethyl-4-(pyridin-3-ylamino)-6-thien-3-ylpyridazin-3(2H)-one;

5-Acetyl-2-ethyl-4-[(2-methylpyridin-3-yl)amino]-6-phenylpyridazin-3(2H)-one;

3-(4-Acetyl-5-amino-1-ethyl-6-oxo-1,6-dihydro-pyridazin-3-yl)-benzoic acid methyl ester;

5-Acetyl-2-ethyl-6-(3-methylphenyl)-4-(pyridin-3-ylamino)pyridazin-3(2H)-one;

5-Acetyl-2-ethyl-6-(3-fluorophenyl)-4-(pyridin-3-ylamino)-pyridazin-3(2H)-one;

5-Acetyl-2-ethyl-4-[(4-methylpyridin-3-yl)amino]-6-pyridin-4-ylpyridazin-3(2H)-one;

5-Acetyl-2-ethyl-4-[(4-methylpyridin-3-yl)amino]-6-pyridin-3-ylpyridazin-3(2H)-one;


5-Acetyl-4-[(2-chloropyridin-3-yl)amino]-2-ethyl-6-phenylpyridazin-3(2H)-one;

5-Acetyl-2-ethyl-6-pyridin-3-yl-4-(pyridin-3-ylamino)pyridazin-3(2H)-one;

5-Acetyl-2-ethyl-6-(4-methylphenyl)-4-[(4-methylpyridin-3-yl)amino]pyridazin-3(2H)-one; and

5-Acetyl-2-ethyl-6-phenyl-4-(thieno[2,3-b]pyridin-3-ylamino)pyridazin-3(2H)-one.

19. (Previously Presented) A process for the preparation of a compound of formula (XXIV):




wherein

R<sup>1</sup> and R<sup>2</sup> represent independently from each other:

- a hydrogen atom;
- a group chosen from acyl, hydroxycarbonyl, alkoxycarbonyl, carbamoyl, monoalkylcarbamoyl and dialkylcarbamoyl;
- an alkyl, alkenyl or alkynyl group, wherein said alkyl, alkenyl or alkynyl group is optionally substituted by one or more substituents chosen from halogen atoms, hydroxy, alkoxy, aryloxy, alkylthio, oxo, amino, mono- and di-alkylamino, acylamino, carbamoyl and mono- and di-alkylcarbamoyl groups;
- an aryl or heteroaryl group, wherein said aryl or heteroaryl group is optionally substituted by one or more substituents chosen from halogen atoms, hydroxy, hydroxyalkyl, hydroxycarbonyl, alkoxy, alkylenedioxy, alkoxycacyl, aryloxy, acyl, acyloxy, alkylthio, amino, nitro, cyano, mono- and di-alkylamino, acylamino, carbamoyl, mono- and di-alkylcarbamoyl, difluoromethyl, trifluoromethyl, difluoromethoxy and trifluoromethoxy groups;

- a saturated or unsaturated heterocyclic group, which is optionally substituted by one or more substituents chosen from halogen atoms, hydroxy, hydroxyalkyl, hydroxycarbonyl, alkoxy, alkylenedioxy, alkoxyacyl, aryloxy, acyl, acyloxy, alkylthio, oxo, amino, nitro, cyano, mono- and di-alkylamino, acylamino, carbamoyl, mono- and di-alkylcarbamoyl, difluoromethyl, trifluoromethyl, difluoromethoxy and trifluoromethoxy groups;
- a group of formula



wherein n is an integer from 0 to 4 and R<sup>6</sup> represents:

- a cycloalkyl or cycloalkenyl group;
- an aryl group, which is optionally substituted by one or more substituents chosen from halogen atoms, alkyl, hydroxy, alkoxy, alkylenedioxy, alkylthio, amino, mono- and di-alkylamino, nitro, acyl, hydroxycarbonyl, alkoxy carbonyl, carbamoyl, mono- and di-alkylcarbamoyl, cyano, trifluoromethyl, difluoromethoxy and trifluoromethoxy groups;
- or a 3- to 7-membered ring having from 1 to 4 heteroatoms chosen from nitrogen, oxygen and sulphur, which ring is optionally substituted by one or more substituents chosen from halogen atoms, alkyl, hydroxy, alkoxy, alkylenedioxy, amino, mono- and di-alkylamino, nitro, cyano and trifluoromethyl groups;


R<sup>3</sup> represents a monocyclic or polycyclic aryl or heteroaryl group, which is optionally substituted by one or more substituents chosen from:

- halogen atoms;
- alkyl and alkylene groups, which are optionally substituted by one or more substituents chosen from halogen atoms; phenyl, hydroxy, hydroxyalkyl, alkoxy, aryloxy, alkylthio, oxo, amino, mono- and di-alkylamino, acylamino, hydroxycarbonyl, alkoxycarbonyl, carbamoyl, and mono- and di-alkylcarbamoyl groups;
- phenyl, hydroxy, hydroxyalkyl, alkoxy, cycloalkoxy, nitro, aryloxy, alkylthio, alkylsulphinyl, alkylsulphonyl, alkylsulfamoyl, acyl, amino, mono- and di-alkylamino, acylamino, hydroxycarbonyl, alkoxycarbonyl, carbamoyl, mono- and di-alkylcarbamoyl, ureido, N'-alkylureido, N',N'-dialkylureido, alkylsulphamido, aminosulphonyl, mono- and di-alkylaminosulphonyl, cyano, difluoromethoxy and trifluoromethoxy groups; and

R<sup>4</sup> represents:


- a hydrogen atom;
- a hydroxy, alkoxy, amino, mono- or di-alkylamino group;
- an alkyl, alkenyl or alkynyl group, wherein said alkyl, alkenyl or alkynyl group is optionally substituted by one or more substituents chosen from halogen atoms, hydroxy, alkoxy, aryloxy, alkylthio, oxo, amino, mono- and di-alkylamino, acylamino, hydroxycarbonyl, alkoxycarbonyl, carbamoyl and mono- and di-alkylcarbamoyl groups;

- or a group of formula




wherein n and  $\text{R}^6$  are as defined above

wherein each  $\text{G}_1$ ,  $\text{G}_2$ ,  $\text{G}_3$  and  $\text{G}_4$  independently represents a nitrogen or carbon atom, Y represents an O atom, a S atom or an  $-\text{NH}-$  group and the benzene ring may optionally be substituted by one or more substituents, which process comprises reacting a carboxylic acid ester of formula (VII)



VII


wherein  $\text{R}^1$ ,  $\text{R}^2$ ,  $\text{R}^3$  and  $\text{R}^4$  are as defined above, with an ortho-substituted aniline of formula (VIII) in the presence of a dehydrating agent,



(VIII)

wherein each  $G_1$ ,  $G_2$ ,  $G_3$  and  $G_4$  independently represent a nitrogen or carbon atom and Y represents an amino, mercapto or hydroxy group.

20. (Previously Presented) A compound of formula (XXV)



wherein  $M^2$  is either a hydrogen atom or a group  $R^2$  and  $M^3$  is either a hydrogen atom or a group  $R^3$ , and wherein


$R^1$  and  $R^2$  represent independently from each other:

- a hydrogen atom;
- a group chosen from acyl, hydroxycarbonyl, alkoxycarbonyl, carbamoyl, monoalkylcarbamoyl and dialkylcarbamoyl;
- an alkyl, alkenyl or alkynyl group, wherein said alkyl, alkenyl or alkynyl group is optionally substituted by one or more substituents chosen from halogen atoms, hydroxy, alkoxy, aryloxy, alkylthio, oxo, amino, mono- and di-alkylamino, acylamino, carbamoyl and mono- and di-alkylcarbamoyl groups;
- an aryl or heteroaryl group, wherein said aryl or heteroaryl group is optionally substituted by one or more substituents chosen from halogen atoms, hydroxy, hydroxyalkyl, hydroxycarbonyl, alkoxy, alkylenedioxy, alkoxycarbonyl, aryloxy, acyl, acyloxy, alkylthio, amino, nitro, cyano, mono- and di-alkylamino, acylamino,

carbamoyl, mono- and di-alkylcarbamoyl, difluoromethyl, trifluoromethyl, difluoromethoxy and trifluoromethoxy groups;

- a saturated or unsaturated heterocyclic group, which is optionally substituted by one or more substituents chosen from halogen atoms, hydroxy, hydroxyalkyl, hydroxycarbonyl, alkoxy, alkylenedioxy, alkoxyacyl, aryloxy, acyl, acyloxy, alkylthio, oxo, amino, nitro, cyano, mono- and di-alkylamino, acylamino, carbamoyl, mono- and di-alkylcarbamoyl, difluoromethyl, trifluoromethyl, difluoromethoxy and trifluoromethoxy groups;

- a group of formula



wherein n is an integer from 0 to 4 and R<sup>6</sup> represents:

- a cycloalkyl or cycloalkenyl group;
- an aryl group, which is optionally substituted by one or more substituents chosen from halogen atoms, alkyl, hydroxy, alkoxy, alkylenedioxy, alkylthio, amino, mono- and di-alkylamino, nitro, acyl, hydroxycarbonyl, alkoxycarbonyl, carbamoyl, mono- and di-alkylcarbamoyl, cyano, trifluoromethyl, difluoromethoxy and trifluoromethoxy groups;
- or a 3- to 7-membered ring having from 1 to 4 heteroatoms chosen from nitrogen, oxygen and sulphur, which ring is optionally substituted by one or more substituents chosen from halogen atoms, alkyl, hydroxy, alkoxy, alkylenedioxy, amino, mono- and di-alkylamino, nitro, cyano and trifluoromethyl groups;



R<sup>3</sup> represents a monocyclic or polycyclic aryl or heteroaryl group, which is optionally substituted by one or more substituents chosen from:

- halogen atoms;
- alkyl and alkylene groups, which are optionally substituted by one or more substituents chosen from halogen atoms; phenyl, hydroxy, hydroxyalkyl, alkoxy, aryloxy, alkylthio, oxo, amino, mono- and di-alkylamino, acylamino, hydroxycarbonyl, alkoxycarbonyl, carbamoyl, and mono- and di-alkylcarbamoyl groups;
- phenyl, hydroxy, hydroxyalkyl, alkoxy, cycloalkoxy, nitro, aryloxy, alkylthio, alkylsulphinyl, alkylsulphonyl, alkylsulfamoyl, acyl, amino, mono- and di-alkylamino, acylamino, hydroxycarbonyl, alkoxycarbonyl, carbamoyl, mono- and di-alkylcarbamoyl, ureido, N'-alkylureido, N',N'-dialkylureido, alkylsulphamido, aminosulphonyl, mono- and di-alkylaminosulphonyl, cyano, difluoromethoxy and trifluoromethoxy groups;


R<sup>5</sup> represents a group -COOR<sup>7</sup> or a monocyclic or polycyclic aryl or heteroaryl group, wherein said -COOR<sup>7</sup> or monocyclic or polycyclic aryl or heteroaryl group is optionally substituted by one or more substituents chosen from:

- halogen atoms;
- alkyl and alkenyl groups, which are optionally substituted by one or more substituents chosen from halogen atoms, phenyl, hydroxy, hydroxyalkyl, alkoxy, aryloxy, alkylthio, oxo, amino, mono- and di-alkylamino, acylamino,

hydroxycarbonyl, alkoxycarbonyl, carbamoyl, and mono- and di-alkylcarbamoyl groups; and

- phenyl, hydroxy, alkylenedioxy, alkoxy, cycloalkyloxy, alkylthio, alkylsulphinyl, alkylsulphonyl, alkylsulfamoyl, amino, mono- and di-alkylamino, acylamino, nitro, acyl, hydroxycarbonyl, alkoxycarbonyl, carbamoyl, mono- and di-alkylcarbamoyl, ureido, N'-alkylureido, N',N'-dialkylureido, alkylsulphamido, aminosulphonyl, mono- and di-alkylaminosulphonyl, cyano, difluoromethoxy and trifluoromethoxy groups;

wherein R<sup>7</sup> represents an alkyl, which is optionally substituted by one or more substituents chosen from halogen atoms, hydroxy, alkoxy, aryloxy, alkylthio, oxo, amino, mono- and di-alkylamino, acylamino, hydroxycarbonyl, alkoxycarbonyl, carbamoyl, mono- and di-alkylcarbamoyl groups, and a group of formula




and

R<sup>4</sup> represents:

- a hydrogen atom;
- a hydroxy, alkoxy, amino, mono- or di-alkylamino group;
- an alkyl, alkenyl or alkynyl group, wherein said alkyl, alkenyl or alkynyl group is optionally substituted by one or more substituents chosen from halogen atoms, hydroxy, alkoxy, aryloxy, alkylthio, oxo, amino, mono- and di-alkylamino,

acylamino, hydroxycarbonyl, alkoxycarbonyl, carbamoyl and mono- and di-alkylcarbamoyl groups;

- or a group of formula



wherein n and R<sup>6</sup> are as defined above.

21. (Original) A compound according to claim 20, which is ethyl 4-acetyl-5-amino-1-ethyl-6-oxo-1,6-dihydropyridazine-3-carboxylate.
22. (Cancelled)
23. (Previously Presented) A pharmaceutical composition comprising a compound as claimed in claim 1, mixed with a pharmaceutically acceptable diluent or carrier.
24. (Cancelled)
25. (Cancelled)
26. ~~(Cancelled) A method for treating a subject afflicted with a pathological condition or disease susceptible to amelioration by inhibition of phosphodiesterase 4,~~


~~which method comprises administering to the said subject an effective amount of a compound as claimed in claim 1.~~

27. (Currently Amended) ~~A method according to claim 26~~ method for treating a subject afflicted with a pathological condition or disease susceptible to amelioration by inhibition of phosphodiesterase 4, which method comprises administering to the said subject an effective amount of a compound as claimed in claim 1, wherein the pathological condition or disease is chosen from ~~asthma, chronic obstructive pulmonary disease, rheumatoid arthritis, and~~ atopic dermatitis, psoriasis and irritable bowel disease.

28. (Currently Amended) A composition comprising:

(i) ~~a compound as claimed in claim 1;~~

a pyridazin-3(2H)-one derivative compound of formula (I):




wherein

R<sup>1</sup> and R<sup>2</sup> represent independently from each other:

- a hydrogen atom;
- a group chosen from acyl, hydroxycarbonyl, alkoxycarbonyl, carbamoyl, monoalkylcarbamoyl and dialkylcarbamoyl;

- an alkyl, alkenyl or alkynyl group, wherein said alkyl, alkenyl or alkynyl group is optionally substituted by one or more substituents chosen from halogen atoms, hydroxy, alkoxy, aryloxy, alkylthio, oxo, amino, mono- and di-alkylamino, acylamino, carbamoyl and mono- and di-alkylcarbamoyl groups;
- an aryl or heteroaryl group, wherein said aryl or heteroaryl group is optionally substituted by one or more substituents chosen from halogen atoms, hydroxy, hydroxyalkyl, hydroxycarbonyl, alkoxy, alkylenedioxy, alkoxyacyl, aryloxy, acyl, acyloxy, alkylthio, amino, nitro, cyano, mono- and di-alkylamino, acylamino, carbamoyl, mono- and di-alkylcarbamoyl, difluoromethyl, trifluoromethyl, difluoromethoxy and trifluoromethoxy groups;
- a saturated or unsaturated heterocyclic group, which is optionally substituted by one or more substituents chosen from halogen atoms, hydroxy, hydroxyalkyl, hydroxycarbonyl, alkoxy, alkylenedioxy, alkoxyacyl, aryloxy, acyl, acyloxy, alkylthio, oxo, amino, nitro, cyano, mono- and di-alkylamino, acylamino, carbamoyl, mono- and di-alkylcarbamoyl, difluoromethyl, trifluoromethyl, difluoromethoxy and trifluoromethoxy groups;
- a group of formula



wherein n is an integer from 0 to 4 and R<sup>6</sup> represents:

- a cycloalkyl or cycloalkenyl group;
- an aryl group, which is optionally substituted by one or more substituents chosen from halogen atoms, alkyl, hydroxy, alkoxy, alkylenedioxy, alkylthio, amino, mono- and di-alkylamino, nitro, acyl, hydroxycarbonyl, alkoxy, carbonyl,

carbamoyl, mono- and di-alkylcarbamoyl, cyano, trifluoromethyl;

difluoromethoxy and trifluoromethoxy groups;

- or a 3- to 7-membered ring having from 1 to 4 heteroatoms chosen from nitrogen, oxygen and sulphur, which ring is optionally substituted by one or more substituents chosen from halogen atoms, alkyl, hydroxy, alkoxy, alkylendioxy, amino, mono- and di-alkylamino, nitro, cyano and trifluoromethyl groups;


R<sup>3</sup> represents a monocyclic or polycyclic aryl or heteroaryl group, which is optionally substituted by one or more substituents chosen from:

- halogen atoms;
- alkyl and alkylene groups, which are optionally substituted by one or more substituents chosen from halogen atoms; phenyl, hydroxy, hydroxyalkyl, alkoxy, aryloxy, alkylthio, oxo, amino, mono- and di-alkylamino, acylamino, hydroxycarbonyl, alkoxycarbonyl, carbamoyl, and mono- and di-alkylcarbamoyl groups;
- phenyl, hydroxy, hydroxyalkyl, alkoxy, cycloalkoxy, nitro, aryloxy, alkylthio, alkylsulphinyl, alkylsulphonyl, alkylsulfamoyl, acyl, amino, mono- and di-alkylamino, acylamino, hydroxycarbonyl, alkoxycarbonyl, carbamoyl, mono- and di-alkylcarbamoyl, ureido, N'-alkylureido, N',N'-dialkylureido, alkylsulphamido, aminosulphonyl, mono- and di-alkylaminosulphonyl, cyano, difluoromethoxy and trifluoromethoxy groups;

R<sup>5</sup> represents a group –COOR<sup>7</sup> or a monocyclic or polycyclic aryl or heteroaryl group, wherein said –COOR<sup>7</sup> or monocyclic or polycyclic aryl or heteroaryl group is optionally substituted by one or more substituents chosen from:

- halogen atoms;
- alkyl and alkenyl groups, which are optionally substituted by one or more substituents chosen from halogen atoms, phenyl, hydroxy, hydroxyalkyl, alkoxy, aryloxy, alkylthio, oxo, amino, mono- and di-alkylamino, acylamino, hydroxycarbonyl, alkoxycarbonyl, carbamoyl, and mono- and di-alkylcarbamoyl groups; and
- phenyl, hydroxy, alkylenedioxy, alkoxy, cycloalkyloxy, alkylthio, alkylsulphinyl, alkylsulphonyl, alkylsulfamoyl, amino, mono- and di-alkylamino, acylamino, nitro, acyl, hydroxycarbonyl, alkoxycarbonyl, carbamoyl, mono- and di-alkylcarbamoyl, ureido, N'-alkylureido, N',N'-dialkylureido, alkylsulphamido, aminosulphonyl, mono- and di-alkylaminosulphonyl, cyano, difluoromethoxy and trifluoromethoxy groups;


wherein R<sup>7</sup> represents an alkyl, which is optionally substituted by one or more substituents chosen from halogen atoms, hydroxy, alkoxy, aryloxy, alkylthio, oxo, amino, mono- and di-alkylamino, acylamino, hydroxycarbonyl, alkoxycarbonyl, carbamoyl, mono- and di-alkylcarbamoyl groups, and a group of formula



wherein n and R<sup>6</sup> are as defined above; and

R<sup>4</sup> represents:

- a hydrogen atom;
- a hydroxy, alkoxy, amino, mono- or di-alkylamino group;
- an alkyl, alkenyl or alkynyl group, wherein said alkyl, alkenyl or alkynyl group is optionally substituted by one or more substituents chosen from halogen atoms, hydroxy, alkoxy, aryloxy, alkylthio, oxo, amino, mono- and di-alkylamino, acylamino, hydroxycarbonyl, alkoxycarbonyl, carbamoyl and mono- and di-alkylcarbamoyl groups;
- or a group of formula



wherein n and R<sup>6</sup> are as defined above

or a N-oxide obtainable from heteroaryl radicals present in the structure when said heteroradical comprise at least one N atom or a pharmaceutically acceptable salt thereof;

with the proviso that when R<sup>5</sup> is neither an optionally substituted heteroaryl group nor a group COOR<sup>7</sup>, R<sup>3</sup> is an optionally substituted heteroaryl group.

and



- (ii) another compound chosen from (a) steroids, (b) immunosuppressive agents, (c) T-cell receptor blockers and (d) antiinflammatory drugs.

29. (Previously Presented) A compound according to claim 14, wherein the phenyl and heteroaryl groups are unsubstituted or substituted by 1 or 2 substituents selected from C<sub>1</sub>-C<sub>4</sub> alkoxy groups, chlorine atoms and fluorine atoms.

30. (New) A method for treating a subject afflicted with a pathological condition or disease susceptible to amelioration by inhibition of phosphodiesterase 4, which method comprises administering to the said subject an effective amount of a compound as claimed in claim 1, wherein the pathological condition or disease is chosen from chronic obstructive pulmonary disease, rheumatoid arthritis, psoriasis and irritable bowel disease.